123eWireless equipment in stock at Launch 3

Please review the below and contact me at lee@launch3.net if you have any needs.

Part Number	Manufacturer	description
123-14DMRSMA-10	123eWireless	Din Male RA to SMA LMR240 Jumper 10 ft, 123eWireless
123-150-15-BLACK	123eWireless	EasyWrapâ„¢ Self-Amalgamating Tape 1.5" x 15 ft
123-154-2	123eWireless	123-154-2 EasySeal 1/2" to Antenna GSIC Enclosure. EasyS allowing the installer to open for sweep testing between points need to spend time cutting off messy tape or the expense of a needs to be checked.
123-154-2	123eWireless	123-154-2 EasySeal 1/2" to Antenna GSIC Enclosure. EasyS allowing the installer to open for sweep testing between points need to spend time cutting off messy tape or the expense of a needs to be checked.
123-154-5	123eWireless	EasySeal 1/2" to 1-5/8" GSIC Enclosure (ANT.10097)
123-154-6	123eWireless	EasySeal 7/8" to Antenna/TMA GSIC Enclosure
123-154-7	123eWireless	
123-170-005	123eWireless	.5 meter RET Cable Assembly 8 Pin Male to Female Dual Shi
123-170-01	123eWireless	RET Cable Assembly 8 Pin Male to Female
123-170-02	123eWireless	Control Cables, AISG 1.1 / 2.0, 2 METER, 8 PIN DIN(M), 8 PI
123-170-02	123eWireless	Control Cables, AISG 1.1 / 2.0, 2 METER, 8 PIN DIN(M), 8 PI
123-170-03	123eWireless	123-170-03 CABLE ASSY, AISG-8MM-6, 3 METERS
123-170-05	123eWireless	123-170-05 CABLE ASSY, AISG-8MM-6, 5 METERS, 8 Pin
123-170-06	123eWireless	CONTROL CABLES, AISG 1.1 / 2.0, 6 METERS, 8 PIN
123-170-09	123eWireless	AISG RET 8 Pin Cable male to female, 9 meters
123-170-10	123eWireless	AISG RET 8 PIN CABLE MALE TO FEMALE 10 METERS
123-170-100	123eWireless	Control Cables, AISG 1.1 / 2.0, 100 METERS, 8 P
123-170-15	123eWireless	AISG RET 8 Pin cable male to female 15 Meters
123-170-25	123eWireless	25 METER RET Cable Assembly 8 Pin Male to Female
123-170-30	123eWireless	RET Control Cable 30M
123-170-40	123eWireless	RET Cable Assembly 8 Pin M to F Dual Shield Protection
123-170-40	123eWireless	RET Cable Assembly 8 Pin M to F Dual Shield Protection
123-170-50	123eWireless	Control Cables, AISG 1.1 / 2.0, 50 METERS, 8 Pin
123-170-60	123eWireless	Control Cables, AISG 1.1 / 2.0, 60 METERS, 8 PI
123-170-60-KIT	123eWireless	AISG RET 8 Pin cable male to female 60 Meters with Ground
123-170-70	123eWireless	Control Cables, AISG 1.1 / 2.0, 70 METERS, 8 PI
123-170-80	123eWireless	12317080 Control Cables, AISG 1.1 / 2.0, 80 METERS, 8 PIN
123-171-003-CRS	123eWireless	Xtreme Weather AISG RET Cable, 8 Pin Male to Female, .305
123-171-003-CRS	123eWireless	Xtreme Weather AISG RET Cable, 8 Pin Male to Female, .305
123-171-005	123eWireless	Xtreme Weather AISG RET Cable, 8 Pin Male to Female, .5 M
123-171-005	123eWireless	Xtreme Weather AISG RET Cable, 8 Pin Male to Female, .5 M
123-171-01	123eWireless	XT Weather, 1 M, 123 Wireless, AISG RET 8 Pin cable male t
123-171-02	123eWireless	Xtreme Weather AISG RET 8 Pin cable male to female 2 Mete
123-171-03	123eWireless	-CRS Control Cables, AISG 1.1 / 2.0, 3 METERS, 8 PIN DIN(

123-171-04	123eWireless	XT Weatherâ„¢, 4 M, 123 Wireless, AISG RET 8 Pin cable ma
123-171-05	123eWireless	Xtreme Weather AISG RET Cable, 8 Pin Male to Female, 5 M
123-171-06	123eWireless	
123-171-09	123eWireless	Xtreme Weather AISG RET Assembly with Ultra Flex Cable 8 Pin 9 Meters long male to female
123-171-10	123eWireless	Xtreme Weather AISG RET Cable, 8 Pin Male to Female, 10
123-171-100	123eWireless	XT Weatherâ„¢, 100 M, 123 Wireless, AISG RET 8 Pin cable
123-171-110	123eWireless	XT WeatherTM, 110 Meter, 123 Wireless, AISG RET 8 Pin ca
123-171-120	123eWireless	XT WeatherTM, 120M, 123 Wireless, AISG RET 8 Pin cable r
123-171-15	123eWireless	Xreme Weathe, 15 M, 123 Wireless, AISG RET 8 Pin cable m
123-171-150	123eWireless	XT Weather, 150 M, 123 Wireless, AISG RET 8 Pin cable ma
123-171-20	123eWireless	Xtreme Weather AISG RET Cable, 8 Pin Male to Female, 20
123-171-25	123eWireless	XT Weatherâ„¢, 25 M, 123 Wireless, AISG RET 8 Pin cable m
123-171-30	123eWireless	XT Weatherâ„¢, 30 M, 123 Wireless, AISG RET 8 Pin cable m
123-171-40	123eWireless	XT Weatherâ„¢, 40 M, 123 Wireless, AISG RET 8 Pin cable m
123-171-50	123eWireless	XT Weatherâ„¢, 50 M, 123 Wireless, AISG RET 8 Pin cable m
123-171-60	123eWireless	Xtreme Weather AISG RET Cable, 8 Pin Male to Female, 60
123-171-70	123eWireless	XT Weatherâ„¢, 70 M, 123 Wireless, AISG RET 8 Pin cable m
123-171-80	123eWireless	XT Weather, 80 M, 123 Wireless, AISG RET 8 Pin cable male
123-171-HOIST	123eWireless	RET Cable 3/8 Hoist Grip, 123eWireless
123-1DM	123eWireless	Din Male Connector for 1/2 Flex cable (LDF4-50)
123-1DMDM-03-PA	123eWireless	3' PIM TESTED JUMPER(LDF4-50 CABLE)
123-1DMDM-04-PA	123eWireless	4' PIM TESTED JUMPER(LDF4-50 CABLE)
123-1DMDM-04-PIM	123eWireless	4', LCF12-50, 7/16 DIN(M), 7/16 DIN(M), PIM CER
123-1DMDM-06-PA	123eWireless	PIM CERTIFIED XTREME WEATHER RF JUMPER LCF12 D
123-1DMDM-06-PIM	123eWireless	6', LCF12-50, 7/16 DIN(M), 7/16 DIN(M), PIM CER
123-1DMDM-08-P	123eWireless	123eWireless, 8 Ft Din Male
123-1DMDM-08-PA	123eWireless	8' PIM TESTED JUMPER(LDF4-50 CABLE)
123-1DMDM-10-PA	123eWireless	123 eWireless, Din to Din
123-1DMDM-15-P	123eWireless	15 Ft CELLFLEX LCF12 Din Male
123-1DMDM-18-PA	123eWireless	Jumper, 123Wireless, 18ft, LDF4 Din Male to Din Male, Pre-P
123-1DMDM-20-P	123eWireless	20 Ft CELLFLEX LCF12 Din Male
123-1DMDM-25-P	123eWireless	25 Ft CELLFLEX LCF12 Din Male
123-1DMDM-25-PA	123eWireless	LDF4 Jumpers with Din Male Straight to Din Male straight, 25
123-1DMDM-35-PR	123eWireless	35 Ft CELLFLEX LCF12 Din Male
123-1DMDM-45-PA	123eWireless	Din Male to Din Male 45 ft Jumper PIM Tested, 123eWireless
123-1DMDMR-08-PA	123eWireless	Jumper, 123Wireless, 8ft, LDF4 Din Male to Din Male RA, Pre
123-1DMDMR-13-PA	123eWireless	Jumper, 123Wireless, 13ft, LDF4 Din Male to Din Male RA, P
123-1DMDMR-15-PA	123eWireless	Jumper, 123Wireless, 15ft, LDF4 Din Male to Din Male RA, P
123-1DMDMR-18-PA	123eWireless	Jumper, 123Wireless, 18ft, LDF4 Din Male to Din Male RA, P
123-1DMRDMR-15-PA	123eWireless	Jumper, 123Wireless, 15ft, LDF4 Din Male RA to Din Male RA
123-1DMRDMR-18-PA	123eWireless	Jumper, 123Wireless, 18ft, LDF4 Din Male RA to Din Male RA
123-1DMRDMR-25-PA	123eWireless	Jumper, 123Wireless, 25ft, LDF4 Din Male RA to Din Male RA
123-900	123eWireless	E-911 new site install kit with port expansion item

123-901	123eWireless	123901 new site install kit, E-911 KITS
123-DMDM-10-P	123eWireless	10 Ft CELLFLEX LCF12 Din Male
123-F1D2-1A277-05M	123eWireless	Fiber Jumper, 5 Meters, 123eWireless
123-F1D2-1A277-100M	123eWireless	Fiber Jumper, 100 Meters, 123eWireless
123-F1D2-1A277-10M	123eWireless	Fiber Jumper, 10 Meters, 123eWireless
123-SA240SMARSMAR-35	123eWireless	Wireless Cable Assembly Lmr 240 SMA
12314DMQMAR08M	123eWireless	123eWireless, 8 Mtr LMR240
12314DMQMAR08M	123eWireless	123eWireless, 8 Mtr LMR240
12314DMQMAR16M	123eWireless	123eWireless, 16 Mtr LMR240
12314DMRSMA08M	123eWireless	123eWireless, 8 Mtr LMR240
12314DMRSMA16M	123eWireless	123eWireless, 16 Mtr LMR240
12314DMSMA08M	123eWireless	LMR240 Jumper QMA RA to SMA
12314DMSMA75	123eWireless	LMR240 Din Male to SMA 75FT
12314NMTNCR75	123eWireless	123eWireless, 75 Ft LMR240
12314SMASMA024M	123eWireless	LMR240 Jumper SMA to SMA 24M
12314SMASMA16M	123eWireless	LMR240 Jumper SMA to SMA 16M
21-RG58-NMNM-15-USA	123eWireless	7-7-AZ-180-61591 N-Male-N-Male Jumper RG58 Cable 15FT
241088-1	123eWireless	2-HOLE GROUNDING KIT
540ANM	123eWireless	N Male Conn. 1/2" Coax
66-106	123eWireless	LONG RUN RET CABLE & GROUND KIT
66-143	123eWireless	N Plug Field Termination LMR 240
66-170-03	123eWireless	1/2 meter Extreme Weather RET Cable Assembly
66-170-50	123eWireless	50 METER RET CABLE
A1873SEK	123eWireless	**missing weather proofing***
		Ground Kit: 1 5/8 ALUMINUM
AB-1852	123eWireless	Adapter Mounting Bracket, Steel Body Material, 0.218 in. Mou
AL5DF-PSA	123eWireless	7/16 DIN, Andrew, (F), Straight, AL5-50, Coaxial Corrugated,
CBC-123-109MNT	123eWireless	Diplexer Mounting Kit
F4A-DMDR-20-P	123eWireless	FSJ4 Premium Sureflex Assy Din Male, Rt Angle (20 FT), And
FB-L98B-035-50000	123eWireless	50 M, LTE style, FTTA LC Duplex Jumper, Rosenberger
FIBEAIR 1500P IDU	123eWireless	CHASSIS
		CONTAINS:
		1) 06-8053-3 A.00
		1) 05-8036-1 A.09
HG-27MM-114	123eWireless	***KITS OF 10****
		Single Cable Grommet with 27mm hole for a 1-1/4 in. Standar
L4A-123-1DMDM-06-PA	123eWireless	6' PIM TESTED JUMPER(LDF4-50 CABLE)
PCBLU3	123eWireless	3FT PATCH CORD BLUE. CAT5E
SDF107236/001	123eWireless	